

— CREATES MOBILE WORKPLACES —

VOLKSWAGEN

Caddy, Transporter T6, Crafter & Amarok




SYSTEM 
EDSTRÖM

VW CADDY

Recommended retail prices valid from 2020-04-01 until further notice. Mounting and VAT is excluded. Suggested hours is the recommended mounting time for experienced retailers.


On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.




| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|--------|
| F41600 | 1241x300x890 mm | 20 | 2,1 | 462,80 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|----------------|----|-----|--------|
| F41601 | 848x300x890 mm | 18 | 2,1 | 420,55 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|--------|
| F41602 | 1241x300x890 mm | 29 | 2,8 | 642,25 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|----------------|----|-----|--------|
| F41603 | 726x300x890 mm | 26 | 2,8 | 645,30 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|--------|
| F41608 | 1240x300x890 mm | 36 | 3,2 | 986,65 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|----------------|----|-----|--------|
| F41607 | 893x300x890 mm | 46 | 2,9 | 936,80 |



| Art.No | Height | Kg | Hr. | € |
|--------|--------|----|-----|----------|
| F41610 | 190 mm | 71 | 6,1 | 1 484,00 |



| Art.No | Height | Kg | Hr. | € |
|--------|--------|-----|-----|----------|
| F41611 | 360 mm | 111 | 6,6 | 2 199,90 |

VW CADDY MAXI

Recommended retail prices valid from 2020-04-01 until further notice. Mounting and VAT is excluded. Suggested hours is the recommended mounting time for experienced retailers.


On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.




| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|--------|
| F41620 | 1875x300x890 mm | 30 | 2,6 | 661,45 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|--------|
| F41621 | 1240x300x890 mm | 22 | 2,1 | 504,40 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|--------|
| F41622 | 1875x300x890 mm | 38 | 3,3 | 839,00 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|--------|
| F41623 | 1286x300x890 mm | 42 | 2,8 | 836,05 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|----------|
| F41628 | 1875x300x890 mm | 48 | 4,4 | 1 115,55 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|----------|
| F41627 | 1286x300x890 mm | 64 | 3,3 | 1 443,15 |



| Art.No | Height | Kg | Hr. | € |
|--------|--------|----|-----|----------|
| F41630 | 190 mm | 76 | 6,1 | 1 578,70 |




| Art.No | Height | Kg | Hr. | € |
|--------|--------|-----|-----|----------|
| F41631 | 360 mm | 119 | 6,6 | 2 321,70 |


VW TRANSPORTER T6 3000 mm wheel base

Recommended retail prices valid from 2020-04-01 until further notice. Mounting and VAT is excluded. Suggested hours is the recommended mounting time for experienced retailers.


On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.




| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|--------|
| F41640 | 1875x300x890 mm | 31 | 2,9 | 671,85 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|----------------|----|-----|--------|
| F41641 | 970x300x890 mm | 19 | 2,2 | 433,15 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|--------|
| F41642 | 1875x300x890 mm | 44 | 3,3 | 985,00 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|----------------|----|-----|--------|
| F41643 | 894x300x890 mm | 36 | 3,1 | 764,50 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41644 | 1875x300x1185 mm | 66 | 4,6 | 1 597,72 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|----------------|----|-----|--------|
| F41645 | 848x300x890 mm | 26 | 2,4 | 600,85 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41646 | 1844x300x1185 mm | 71 | 5,3 | 1 864,52 |




| Art.No | Height | Kg | Hr. | € |
|--------|--------|----|-----|----------|
| F41650 | 190 mm | 96 | 7,0 | 2 184,95 |


VW TRANSPORTER T6 3400 mm wheel base

Recommended retail prices valid from 2020-04-01 until further notice. Mounting and VAT is excluded. Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|--------|
| F41660 | 2267x300x1000 mm | 36 | 2,9 | 772,35 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|--------|
| F41661 | 1238x300x1000 mm | 23 | 2,3 | 534,35 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|--------|
| F41662 | 2267x300x890 mm | 45 | 3,3 | 972,20 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|----|-----|--------|
| F41663 | 1286x300x890 mm | 46 | 3,1 | 914,40 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41664 | 2267x300x1185 mm | 69 | 4,5 | 1 554,67 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|--------|
| F41665 | 1240x300x1000 mm | 35 | 2,5 | 758,85 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41666 | 2267x300x1000 mm | 70 | 5,3 | 1 708,00 |



| Art.No | Height | Kg | Hr. | € |
|--------|--------|----|-----|----------|
| F41670 | 190 mm | 98 | 7,0 | 2 184,95 |


VW CRAFTER L3H3 3640 mm wheel base

Recommended retail prices valid from 2020-04-01 until further notice. Mounting and VAT is excluded. Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41900 | 2869x300x1440 mm | 63 | 4,4 | 1 263,70 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41901 | 1539x300x1440 mm | 56 | 3,3 | 1 215,95 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41902 | 2869x300x1440 mm | 88 | 4,4 | 1 855,80 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41903 | 1539x300x1440 mm | 78 | 4,7 | 1 665,05 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41904 | 2904x470x1440 mm | 139 | 5,8 | 2 745,80 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41905 | 1662x300x1735 mm | 77 | 5,4 | 1 985,60 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41906 | 2869x300x1735 mm | 116 | 6,6 | 2 855,81 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|-----|-----|----------|
| F41907 | 1599x470x855 mm | 108 | 4,5 | 2 264,60 |


VW CRAFTER L4H3 4490 mm wheel base

Recommended retail prices valid from 2020-04-01 until further notice. Mounting and VAT is excluded. Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41920 | 3474x300x1440 mm | 71 | 4,4 | 1 420,90 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41921 | 2101x300x1440 mm | 65 | 3,3 | 1 291,10 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41922 | 3596x300x1440 mm | 108 | 4,5 | 2 263,55 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41923 | 2101x300x1440 mm | 111 | 5,0 | 2 243,70 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41924 | 3565x470x1670 mm | 178 | 5,8 | 3 428,56 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41925 | 2314x300x1440 mm | 126 | 5,9 | 2 855,10 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41926 | 3597x300x1440 mm | 124 | 6,3 | 2 795,55 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|-----|-----|----------|
| F41927 | 2340x470x855 mm | 163 | 5,3 | 3 211,61 |


VW CRAFTER L5H3 4490 mm wheel base

Recommended retail prices valid from 2020-04-01 until further notice. Mounting and VAT is excluded. Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41940 | 4110x300x1440 mm | 85 | 5,0 | 1 672,80 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|----|-----|----------|
| F41941 | 2916x300x1440 mm | 82 | 3,9 | 1 626,80 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41942 | 4187x300x1440 mm | 121 | 5,3 | 2 507,10 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41943 | 2916x300x1440 mm | 134 | 6,3 | 2 816,65 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41944 | 4136x470x1670 mm | 222 | 6,8 | 4 316,21 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41945 | 2916x300x1440 mm | 143 | 7,2 | 3 292,35 |



| Art.No | LxDxH | Kg | Hr. | € |
|--------|------------------|-----|-----|----------|
| F41946 | 4098x300x1440 mm | 147 | 6,9 | 3 471,55 |




| Art.No | LxDxH | Kg | Hr. | € |
|--------|-----------------|-----|-----|----------|
| F41947 | 2822x470x855 mm | 231 | 7,2 | 4 436,96 |

VW AMAROK

Recommended retail prices valid from 2020-04-01 until further notice. Mounting and VAT is excluded. Suggested hours is the recommended mounting time for experienced retailers.

On electric and hybrid vans we recommend mounting by an experienced installer. Batteries and cable harnesses for approximately 400 volt must be taken in consideration. Cost of a floor may be added.



| Art.No | Height | Kg | Hr. | € |
|--------|--------|----|-----|----------|
| F45200 | 214 mm | 59 | 5,7 | 1 320,00 |



| Art.No | Height | Kg | Hr. | € |
|--------|--------|----|-----|--------|
| F45201 | 220 mm | 57 | 2,5 | 854,64 |

INFORMATION



GENERALLY

The kits include what you see in the drawing as well as installation parts, rubber mats to all shelves and foam to the drawers. System Edström Bilinredningar AB is certified according to SS-EN ISO 9001:2015 to secure the administrative quality and to give us the possibility to keep a high accuracy on deliveries.

All material used in System Edström can be recycled to 100%. We are also certified according to SS-EN ISO 14001:2015.



REMEMBER

Now that you have chosen to have System Edström in your vehicle you have taken the first and most important step to make your mobile workshop safe and functional. From here on it is up to you how safe and functional your working place will be.

Remember;

You as the driver has the full responsibility if you or any one else is injured if the cargo is poorly secured. It is also your responsibility to make sure that the interior is mounted in the safest way possible whatever your choice of workshop, even if they are professionals with knowhow and long experience.

Make sure NOT to exceed the maximum payload of the vehicle.



SECURITY

Our products are tested in two ways, the first and most important is two crashtests, one (ECE 17:07) performed by Milbrook in England and another one performed by Valutec in France (INRS NS286). Learn more about us on our homepage, www.systemedstrom.com.





Vice

| Depth | Width | Height | Kg | Part.No | € |
|-------|-------|--------|------|---------|--------|
| 360 | 135 | 140 | 10,3 | 5004 | 377,15 |


The forged vice is complete with pipe jaw and turning plate. Max opening 140 mm.



Vice Holders

| Depth | Width | Height | Kg | Part.No | € |
|-------|-------|--------|-----|---------|--------|
| 1110 | 210 | 195 | 9,4 | 5012 | 231,75 |
| 1110 | 210 | 80 | 8,9 | 5013 | 226,90 |


Plate measurement 180x210 mm. Cover 2950 is included.



Gas bottle holder adjustable

| Depth | Width | Height | Tube Ø | Kg | Part.No | € |
|-------|-------|--------|--------|-----|---------|-------|
| 150 | 300 | 97 | < 300 | 0,9 | 2910 | 78,55 |

Liquefied petroleum gas P6 (bottles with 320 mm Ø can be stored after modification).



4370



4360



4362



4364

Pegboard tray

| Depth | Width | Height | Kg | Part.No | € |
|-------|-------|--------|-----|---------|-------|
| 82 | 200 | 80 | 0,5 | 4360 | 26,10 |
| 82 | 285 | 102 | 0,8 | 4362 | 31,55 |
| 122 | 455 | 122 | 1,5 | 4364 | 42,45 |
| 153 | 179 | 575 | 3,0 | 4370 | 65,20 |

A number of different trays that solve (almost) all storage problems.



Internal ladder holder

| Length | Kg | Part.No | € |
|--------|-----|---------|--------|
| 2400 | 3,9 | T8900 | 227,45 |

Store your ladder on the inside of the roof, pull it back to the rear door in a simple operation. The aluminum rail comes in two parts with a joining piece.





4077



4349

Hose/Cable rack


| Depth | Width | Height | Kg | Part.No | € |
|-------|-------|--------|-----|---------|-------|
| 79 | 267 | 168 | 0,5 | 4077 | 26,95 |

Tube holder

| | | | | | |
|----|-----|-----|-----|------|-------|
| 66 | 194 | 123 | 0,4 | 4349 | 24,95 |
|----|-----|-----|-----|------|-------|



4356




4357

Universal hook

| Depth | Width | Height | Kg | Part.No | € |
|-------|-------|--------|-----|---------|-------|
| 85 | 80 | 100 | 0,2 | 4356 | 11,45 |
| 61 | 83 | 55 | 0,1 | 4357 | 9,90 |

Simplicity at its best, heavy duty hooks, to be mount on a pegboard or hang it on the edge of a shelf.



Plastic bin for shelves

| Depth | Width | Height | Kg | Part.No | € |
|-------|-------|--------|-----|---------|-------|
| 300 | 145 | 154 | 0,4 | 3050 | 8,55 |
| 300 | 235 | 154 | 0,5 | 3052 | 11,25 |
| 470 | 145 | 154 | 0,5 | 3055 | 11,65 |
| 470 | 235 | 154 | 0,5 | 3057 | 14,35 |

Transparent lid for plastic bins

| Depth | Width | Fits | Kg | Part.No | € |
|-------|-------|------|-----|---------|-------|
| 300 | 150 | 3050 | 0,2 | 3060 | 5,20 |
| 300 | 240 | 3052 | 0,2 | 3062 | 8,30 |
| 470 | 150 | 3055 | 0,2 | 3065 | 8,75 |
| 470 | 240 | 3057 | 0,4 | 3067 | 13,00 |

Dividers for plastic bins

| Width | Height | Fits | Part.No | € |
|-------|--------|---------|---------|------|
| 140 | 154 | 3050,55 | 3070 | 2,40 |
| 230 | 154 | 3052,57 | 3072 | 2,70 |

Bracket for dropfront shelves

| Depth | Kg | Part.No | € |
|-------|-----|---------|------|
| 300 | 0,1 | 3081 | 4,60 |
| 470 | 0,2 | 3082 | 5,20 |



Clothes hook

| Depth | Width | Height | Kg | Part.No | € |
|-------|-------|--------|-----|---------|-------|
| 31 | 295 | 40 | 0,3 | 2706 | 11,20 |
| 31 | 465 | 40 | 0,5 | 2708 | 15,80 |

We call it a clothes hook but, needless to say, you can use it to hang up whatever you want on it.





Strap with brackets

| Information | Width | Part.No | € |
|------------------------|-------|---------|-------|
| 1200 mm, nylon strap | 25 | 4365 | 20,70 |
| 1000 mm, elastic strap | 25 | 4366 | 22,30 |

The brackets will fit on our pegboards.

ACCESSORIES





| Pos. | Description |
|------|-----------------------|
| 1 | Universal hook |
| 2 | Cable/Hose rack |
| 3 | Pegboard basket |
| 4 | Vice and holders |
| 5 | Case support |
| 6 | Plastic bins |
| 7 | Drawer inserts |
| 8 | Shelf dividers |
| 9 | Tool case/File holder |
| 10 | Tool case |
| 11 | Gas bottle holders |
| 12 | Can/Tube holder |

Accessory package No. 1

Accessory package No. 2

Security package



| Art.No | € | Art.No | € | Art.No | € |
|-------------------------------|-------|-------------------------------|--------|--------|--------|
| F11001 | 78,42 | F11002 | 161,09 | F11003 | 292,45 |
| <i>Pegboard not included.</i> | | <i>Pegboard not included.</i> | | | |


For more products: www.systemedstrom.com
 Prices are recommended list prices, unmounted, excluding VAT.
 Freight and cargo carrier may be added.
 We apply sales terms according to LCV14.



Up to 5 years warranty



Crash tested



Made in Sweden

SYSTEM EDSTRÖM

SYSTEM EDSTRÖM BILINREDNINGAR AB
 Raseborgsgatan 11
 164 74 Kista
 Sweden

CONTACT
 Order +46 (0)10 102 95 00
 Sales +46 (0)10 102 95 01
 Switchboard +46 (0)8 590 920 20
 info@edstrom.se